## OMEN by HP 27 inch FHD 165Hz Gaming Monitor – OMEN 27



### TAKE YOUR FUN UP A NOTCH

Reach new possibilities with the OMEN by HP 27-inch FHD 165Hz Gaming Monitor. Quick performance and vibrant color let you get lost in the games you love most, while the sleek design functions to look and feel great on your desk.



\*Product image may differ from actual product



#### NO LAG. ALL SPEED.

Frame by frame, experience all the action with no distractions. To keep things smooth, this display boasts a fast 165Hz refresh rate and 1ms GTG response time with Overdrive to cut motion blur<sup>1</sup>, so every pixel keeps up with you. Leave screen tearing and lag in the dust, thanks to AMD FreeSync<sup>™</sup> Premium technology<sup>2</sup>.



### SEE A WORLD YOU CAN STEP INTO

Mistake virtual for IRL while you explore your favorite worlds with the crisp visuals of FHD resolution<sup>3</sup>. For lifelike gameplay, escape into a wide array of vibrant colors, hues, and shades with the 99% sRGB and 95% DCI-P3 color gamut<sup>1</sup>. Even in shadow, easily make out details and shading with HDR and up to 400 nits of brightness<sup>1</sup>.

#### **REFINE YOUR PLAY SPACE**

Made to impress in and out of game, the new OMEN look blends sophistication and fun to elevate what a gaming setup can look like. It's equipped with ports perfect for connecting your gaming PC, console, and even a work PC. Thanks to the easy cable management and the adjustable stand, your desk will be just how you like it.



#### ALL YOUR FUN, CUSTOM

Play around with every possible setting in OMEN Gaming Hub<sup>4</sup>—a one-stop shop for customizing your ecosystem. Make your monitor, any PC, and select accessories work better together the way you want. From hardware to software enhancements, OGH elevates play in an easy and simple way.

## OMEN by HP 27 inch FHD 165Hz Gaming Monitor - OMEN 27

### Featuring

#### FHD Resolution

Focus on the finer details and enjoy clear images with the 1920 x 1080 Full HD resolution on this 27" diagonal monitor.<sup>3</sup>

#### 165Hz refresh rate

Crisp action and responsive gameplay with virtually no artifacting or screen tearing.<sup>1</sup>

#### HDR

Explore new worlds with richer colors thanks to a peak brightness of 400 nits.<sup>1</sup>

#### More Colors to Play With

Get deeper hues and a wide array of colors with 99% sRGB and 95% DCI-P3 for precisely recreated colors so lifelike you get lost in your gameplay.<sup>1</sup>

#### 1ms GTG Response Time with Overdrive

Eliminates motion blur for crisp, fluid gameplay no matter what's happening on-screen.<sup>1</sup>

#### AMD FreeSync™ Premium Technology

Game confidently with a high refresh rate, low framerate compensation, and low latency.<sup>2</sup>

#### VESA Certified AdaptiveSync

VESA Certified AdaptiveSync guarantees higher refresh rates and low latency, optimized for gaming.<sup>5</sup>

#### Plenty of ports

Easily connect your devices with two HDMI 2.0 ports, one DisplayPort™ 1.4, and one 3.5 mm headphone jack.<sup>6</sup>

#### New Design Unlocked

The new OMEN look blends sophistication and fun to elevate your gaming setup.

#### **IPS Technology**

Image accuracy and consistency across wide 178-degrees viewing angles, no matter where you stand.

#### VESA Certified ClearMR 5000

Easily compare the amount of motion blur between VESA Certified ClearMR displays with Clear Motion Ratio (CMR).<sup>7</sup>

#### Console Compatible

Over 140 test cases to ensure it's compatible with your choice of console.

#### Fully adjustable stand

Find comfort while you game with tilt, pivot, and 100 mm height adjustments.

#### HP Eye Ease with Eyesafe® Certification

Keep your screentime comfortable with beautiful colors while reducing blue light.

#### **OMEN** Gaming Hub

From software enhancements to hardware control, and live services, OGH elevates play in an easy and simple way.<sup>4</sup>

#### Materials that Matter

Contains 85% post-consumer recycled plastics.<sup>8</sup>

#### Thoughtful Product Packaging

100% recyclable packaging that can stay out of landfills.<sup>9,10</sup>

#### Mindful metals

Engineered to contain 10% recycled metals.<sup>11</sup>

#### Effortless Joypad OSD Button

Easy on-screen display settings with the joypad OSD button.

#### Integrated Cable Management

Help keep your workspace clean and organized.

## OMEN by HP 27 inch FHD 165Hz Gaming Monitor - OMEN 27







Product number	780F9A4#ABB:; #A2N; #ABT; #ABU; #ABV; #ABY; #ACQ; #UUG; #UUZ
UPC number	(ABB) 197029614865; (ABU) 197029614896
Display size	68.6 cm (27')
Display colors	Up to 16.7 million colors supported
Aspect ratio	16:9 <sup>1</sup>
Display type	IPS
Pixel pitch	0.31 x 0.31 mm
Response time	1ms GtG (with overdrive) <sup>1</sup>
Brightness	400 nits <sup>1</sup>
Contrast ratio	1000:1 <sup>1</sup>
Display contrast ratio (dynamic)	10000000:1
Product color	Black
Display color gamut	99% sRGB; 95% DCI-P3
Resolution (maximum)	FHD (1920 × 1080 @ 165 Hz)
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080
Display scan frequency (horizontal)	30-210 kHz
Display scan frequency (vertical)	60-165 Hz
Display features	Pivot rotation; Anti-glare; Height adjustable; AMD Freesync™ Premium; Gaming Console Compatible; HP Eye Ease (Eyesafe® certified); HDR
Physical security features	None
Environmental specifications	Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic 3,4,5,6
Energy efficiency	Energy efficiency class: E; On-mode power consumption: 60 W (maximum); Annual energy consumption: 20 kWh; Standby: 0.5 W (standby); Power consumption (on-mode): 60 W (maximum); Power consumption (off-mode): 45 W (typical)
Display User Control Options	Management; Information; Exit; Input; Color; Image; Power; Menu; Gaming
Webcam	No integrated camera
Operating temperature range	5 to 35°C
Operating temperature range	41 to 95°F
Operating humidity range	20 to 80% RH
Power supply	100 - 240 VAC 50/60 Hz
VESA mount	100 mm x 100 mm (bracket included)
Pixels per inch (ppi)	82 ppi
Panel bit depth	True 8 bit
Vertical viewing angle	178°
Horizontal viewing angle	178*
Bezel	3-sided borderless
Tilt	-5 to +20°
Tilt Pivot	
Pivot	-5 to +20*
	-5 to +20* ±90*
Pivot Height adjustment range	-5 to +20* ±90* 100 mm
Pivot Height adjustment range Hardness	-5 to +20° ±90° 100 mm 3H
Pivot Height adjustment range Hardness Screen treatment	-5 to +20* ±90* 100 mm 3H Anti-glare
Pivot Height adjustment range Hardness Screen treatment Flicker-free	-5 to +20* ±90* 100 mm 3H Anti-glare Yes
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light	-5 to +20° ±90° 100 mm 3H Anti-glare Yes Yes Yes (Eyesafe® Certified)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors	- 5 to +20° ±90° 100 mm 3H Anti-glare Yes Yes Yes Ease (Eyesafe® (ertified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP	-5 to +20* ±90* 100 mm 3H Anti-glare Yes Yes Yes Yes, HP Eye Ease (Eyesafe® Certified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software	-5 to +20° ±90° 100 mm 3H Anti-glare Yes Yes Ves, HP Eye Ease (Eyesafe® Certified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software Warranty	-5 to +20° ±90° 100 mm 3H Anti-glare Yes Yes Yes Ease (Eyesafe® Certified) 2 HDM12.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software Warranty Certifications and compliances	-5 to +20° ±90° 100 mm 3H Anti-glare Yes Yes Yes Yes (Eyesafe® Certified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 × 3.5 mm Audio Jack (Audio Out) Yes, JIP Eye Ease (Eyesafe® Certified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 × 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ and HDMI OMEN Gaming Hub <sup>®</sup> 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CE; CC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NDM; PSB; TUV Bauart; TUV LBL; VCC; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificates; TÜV Flicker free certified; UAE safety; UAE RoHS; South Africa safety; Microsoft WHQL Certification (Windows 10)
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software Warranty Certifications and compliances What's in the box	<ul> <li>-5 to +20*</li> <li>-5 to +20*</li> <li>±90*</li> <li>100 mm</li> <li>3H</li> <li>Anti-glare</li> <li>Yes</li> <li>Yes</li> <li>Ves, HP Eye Ease (Eyesafe® Certified)</li> <li>2 HDMI 2.0; 1 DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort** and HDMI</li> <li>OMEN Garning Hub <sup>®</sup></li> <li>1 year limited warranty</li> <li>Australian-New Zealand MEPS; BIS; BSMI; CB; (CC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; TUV Bauart; TUV LBL; VCC; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificate; TUV Flicker free certified; UAE safety; Microsoft WHQL Certification (Windows 11 and Windows 10)</li> <li>DisplayPort** cable; Warranty card; Quick Setup Poster; AC power cord<sup>7</sup></li> </ul>
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software Warranty Certifications and compliances What's in the box Country of origin	<ul> <li>-5 to +20°</li> <li>-5 to +20°</li> <li>-90°</li> <li>100 mm</li> <li>3H</li> <li>Anti-glare</li> <li>Yes</li> <li>Yes</li> <li>Ves, HP Eye Ease (Eyesafe® Certified)</li> <li>2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)</li> <li>Yes, DisplayPort™ and HDMI</li> <li>OMEN Garning Hub <sup>®</sup></li> <li>1 year limited warranty</li> <li>Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; TUV Bauart; TUV LBL; VCC; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificate; TÜV Ficker free certified; UAE safety; UAE RoH5; South Africa safety; Microsoft WHQL Certification (Windows 10)</li> <li>DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord<sup>7</sup></li> <li>Made in China</li> </ul>
Pivot Height adjustment range Hardness Screen treatment Flicker-free Low blue light Port and connectors HDCP Management software Warranty Certifications and compliances What's in the box Country of origin Dimensions (W x D x H)	-5 to +20° 490° 100 mm 3H Anti-glare Yes Yes Yes, HP Eye Ease (Eyesafe® Certified) 2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out) Yes, DisplayPort™ and HDMI OMEN Garning Hub <sup>®</sup> 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NDM; PSB; TUV Bauart; TUV LBL; VCCI; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificates; TUV Ficker free certified; UAE safety; UAE RoH5; South Africa safety, Microsoft WHQL Certification (Windows 10) DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord <sup>7</sup> Made in China 61.36 x 5.22 x 36.43 cm (without stand)
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight	- 5 to +20°         ±90°         100 mm         3H         Anti-glare         Yes         Yes         Ves, HP Eye Ease (Eyesafe® Certified)         2 HDML 20; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ and HDMI         OMEN Gaming Hub <sup>8</sup> 1 year Limited warranty         Australian-New Zealand (MPS); BIS; BSM; CB; CCC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; TUV Bauart; TUV LBL; VCC!; Vetnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificates; TUV Flicker free certified; UAE safety; UAE RoHS; South Africa safety; Microsoft WHQL Certification (Windows 11) and Windows 10)         DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord <sup>7</sup> Made in China         61.36 x S.22 x 36.43 cm (without stand)         8.08 kg (with stand)
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight         Package dimensions (W x D x H)	-5 to +20°         ±90°         100 mm         3H         Anti-glare         Yes         Yes         Ves, HP Eye Ease (Eyesafe® Certified)         2 HDM12.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Ves, DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Materian-New Zealand MEPS; BISS BSMI; CB; CCC; CE; CEL; CSA; EAC; FCC; SO 9241-307; KC/, NCC; NDM; PSB; TUV Bauar; TUV LBL; VCC]; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Wraine certificates; TUV Flicker free certified; UAE safety, UAE RoHS; South Africa safety, Microsoft WHQL Certification (Windows 11 and Windows 10)         DisplayPort™ cable; Waranty card; Quick Setup Poster; AC power cord <sup>7</sup> Made in China       1.36 x 5.22 x 36.43 cm (withou
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight         Package dimensions (W x D x H)         Package weight	-5 to +20*         990*         100 mm         3H         Ant-glare         Yes         Yes, HP Eye Ease (Eyesafe® Certified)         2 HDM12.0; 10 loplayPort** 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort** and HDMI         OMEN Gaming Hub <sup>8</sup> 1 year limited warranty         Australian-New Zealand MEPS; BIS; BSM; CB; CC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; TUV Bauart; TUV LBL; VCC; Vietnam MEPS; WEEE; ISC; California Energy Commission (CEC); Wu application; CEC; Ukarant Certificates to: TUP Hatter free certified to: Safety, Uka Fohe's; South Antrica safety, Microsoft WHQL Certification (Windows 11 and Windows 10)         DisplayPort** cable; Warranty card, Quick Setup Poster; AC power cord <sup>7</sup> Made in China         61.36 x 5.22 x 36.43 cm (without stand)         8.08 kg (with stand)         69.9 x 16 x 44.6 cm         11.32 kg
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight         Package dimensions (W x D x H)         Package weight         Pallet (layers)	-5 to +20°         90°         100 mm         3H         Anti-glare         Yes         Yes, HP Eye Ease (Eyesafe® Certified)         2 HDMI 2.0; 1 DisplayPort™ 1.4; 1 x 3.5 mm Audio Jack (Audio Out)         Yes, DisplayPort™ and HDMI         OMEN Gaming Hub <sup>®</sup> 1 year limited warranty         Austrialen-Nevz Zealand HEPS; BIS; BSM; (E); CC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; TUV Bauart; TUV LBL; VCC! Vietnam MEPS; WEEE; SC, California Energy Commission (CEC); WW application;         DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord <sup>7</sup> Made in China         61.36 x 5.22 x 36.43 cm (without stand)         80.84g (with stand)         69.9 x 16 x 44.6 cm         11.32 kg         4
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W × D × H)         Weight         Package dimensions (W × D × H)         Package weight         Pallet (layers)         Products per layer	-510 + 20°         990°         100 mm         3H         Anti-glare         Yvs         Yvs. FVE bye Ease (Eyesafe° Certified)         2 HDM120; 10 isplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. SplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; 1 × 3.5 mm Audio Jack (Audio Out)         Yvs. JosplayPort® 1.4; UV Elick (Steine Certified)         Netriken Kernitet waranty         Australian - Kevz Zeiland MEPS; BIS; BSM; CB; CCC; CE; CE; CSA; EAC; FCC; ISO 92.41-307; KC/CCC; NDM; PSB; TUV Bauart; TUV Elick vCC; Vietnam MEPS; WEE; ISC; California Energy Commission (CEC); WW application; ICE); Warappler the Cable; Waranty card; Quick Setup Poster; AC power cord <sup>7</sup> Madein China       61-36 x 52 x 36.43 cm (without stand)       69.9 x 16 x 44.6 cm         11.32 kg       4       4       4       4       <
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight         Package dimensions (W x D x H)         Package weight         Pallet (layers)         Products per layer         Products per pallet	-5 to +20°         ±90°         100 mm         3H         Anti-glare         Yes         Yes, HP Eye Ease (Eyesafe® Certified)         2 HOM 20; 10 DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         Yes, DsplayPort™ 1,4; 1 x 3 cm Audo Jack (Audo Out)         OMEN Gaming Hub <sup>8</sup> OMEN Gaming Hub         1 year Imited warranty         Austriation-New Zealard Methods; Sti StiM, CC; CC; CE; CE; CE; CE; CE; Say EAC, FC; ISO 9241-307; KC/KCC; NDM, PSB; TUV Bauar; TUV LBI; VCC; Vetnam MEPS; WEE; ISC California Energy Commission (EEC; WW application; Turbut But, StiM, StiM, Baudo StiM, Turbut But, StiM, StiM, StiM, Ather Say StiM, Ather Say StiM, Ather Say Sti
Pivot         Height adjustment range         Hardness         Screen treatment         Flicker-free         Low blue light         Port and connectors         HDCP         Management software         Warranty         Certifications and compliances         What's in the box         Country of origin         Dimensions (W x D x H)         Weight         Package dimensions (W x D x H)         Package weight         Pallet (layers)         Products per layer         Products per pallet         Pallet dimensions	-5 to +20°         ±90°         100 mm         3H         Anti-glare         Yes         Yes, HP Eye Ease (Eyesafe® Certified)         2 H0M1 20, 11 DisplayPort** 1.4; 1:x 3.5 mm Audio Jack (Audio Out)         Yes, SpSplayPort** and HDMI         OMEN Gaming Hub <sup>8</sup> 1 year limited warranty         Austrialen-New Zealand MEPS; BIS; BSM; CB; CC; CE; CE; CS; EAC; FCC; ISO 9241-307; KC/CCC, NDM; PSB; TUV Bauart; TUV LB; VCC; Vetnam MEPS; WEEE; SC; California Energy Commission (EEC); WW application; TUC EL Warranc errited; UW Exploser, AC power cord <sup>7</sup> Made in China         61.36 x 522 x 36.43 cm (without stand)         8.08 kg (with stand)         69.9 x 16 x 44.6 cm         11.32 kg         4         7         28

# OMEN by HP 27 inch FHD 165Hz Gaming Monitor - OMEN 27

#### **Messaging Footnotes**

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.

<sup>2</sup> Requires a monitor and AMD Radeon graphics, both with FreeSync Premium support. AMD FreeSync<sup>™</sup> Premium requires mandatory low framerate compensation and at least 120 Hz refresh rate at minimum FHD. See www.amd.com/freesync for complete details. Confirm capability with your system manufacturer before purchase. GD-161.

<sup>3</sup> Full high-definition (FHD) content required to view FHD images

<sup>4</sup> Account required for full functionality. See OMEN Gaming Hub terms and conditions. Support level for non-HP products may be subject to change. Some animation effects may consume more CPU resources.

<sup>5</sup> VESA Certified Adaptive Sync is the high-performance Monitor and Display Compliance Test Specification from VESA specifying display visual performance on variable refresh rate displays. See https://www.adaptivesync.org/ for more details. <sup>6</sup> AC Power cord and DisplayPort<sup>™</sup> cable included. All other cables sold separately.

<sup>7</sup> VESA Certified ClearMR is the high-performance Monitor and Display Compliance Test Specification from VESA that provides a clear numerical value based on the ratio of clear pixels to blurry pixels. See https://www.clearmr.org/ for more details. <sup>8</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.

<sup>9</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

<sup>10</sup> Recycling facilities not available in all locations. <sup>11</sup> Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

#### **Technical Specifications Footnotes**

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower

<sup>2</sup> DisplayPort<sup>™</sup> 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 and include one DisplayPort<sup>™</sup> or one HDMI outputs to drive the monitor at the Preferred Mode.

<sup>3</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
<sup>4</sup> ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

<sup>5</sup> 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
<sup>6</sup> Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

<sup>7</sup> Included cables may vary by country.
 <sup>8</sup> Host PC requires Windows 10. OMEN Gaming Hub is available on the Microsoft store.

