



State-of-the-art LED for the home

State-of-the-art LED light bulb providing a general lighting solution for daily indoor activities. You will save on energy costs immediately and reduce the frequency of bulb replacements, without compromising on the quality of your lighting.

High-quality light

No visible flicker

Choose a simple replacement for your old lamps

· Similar shape and size as incandescent candles

Choose for a sustainable solution

· Long-life bulbs – Last up to 15 years

Light beyond illumination

Instant on

High-quality LED light that lasts for decades

• Designed for the comfort of your eyes

Highlights

No visible flicker

When your light flickers in quick succession it could be hard on the eves, cause headaches and even set off an attack for those with photosensitive epilepsy. It's both unpleasant and unnecessary. LEDs can flicker because of their rapid response to the driver current. However, because Philips LEDs are designed so that variations in your driver current's output are minimised, they eliminate the factors that cause flicker. So, you won't see it, not even a hint.

Similar shape and size as incandescent candles

With its beautifully shaped design and familiar dimensions, this is a contemporary lighting, energy-saving, standard LED candle. The perfect sustainable replacement for traditional incandescent candles.

15,000-hour rated average life



With a lifetime of up to 15,000 hours. you can reduce the hassle of frequently replacing your light bulbs, and enjoy a perfect lighting solution for over 15 years.

Instant on Designed for the comfort of your eyes



It's easy to see how harsh lighting can strain the eyes. Too bright and you get glare. Too soft and you experience flicker. Now you can gently light up your world with LEDs designed to go easy on the eyes, and create the perfect ambience for your home.

Specifications

Bulb characteristics

· Dimmable: No

· Intended use: Indoor

· Lamp shape: Non-directional candle

· Socket: E14 Technology: LED · Type of glass: Frosted

Lamp dimensions

· Height: 10.6 cm Weight: 0.021 kg · Width: 3.5 cm

Durability

· Average life (at 2.7 hrs/day): 15 a Lumen maintenance factor: 70% • Nominal lifetime: 15,000 h

• Number of switch cycles: 50,000

Light characteristics

· Colour consistency: 6SDCM

· Colour rendering index (CRI): 80

· Colour temperature: 2700 K

· Light Colour Category: Warm White

Nominal luminous flux: 470 lm

• Starting time: < 0.5 s

· Warm-up time to 60% light: Instant

· Colour Code: 827 | CCT of 2700K

Miscellaneous

EyeComfort: Yes

Other characteristics

· Lamp current: 44 mA · Efficacy: 94 lm/W

Packaging information

• EAN: 8719514309821 • EOC: 871951430982101

· Product title: LED 40W B35 E14 WW

FR ND 1SRT4 UK

Power consumption

Power factor: 0.51Voltage: 220-240 VWattage: 5 W

Wattage equivalent: 40 WEnergy efficiency label (EEL): F

Product dimensions and weight

· Length: 10.6 cm

Rated values

Rated lifetime: 15,000 hRated luminous flux: 470 lm

· Rated power: 5 W

Technical specifications

• Frequency: 50-60 Hz

Packaging dimensions and weight [LED 40W B35 E14 WW FR ND 1SRT4]

• EAN/UPC - product: 8719514309821

Net weight: 0.024 kg
Gross weight: 0.057 kg
Height: 14.600 cm
Length: 3.600 cm
Width: 6.300 cm

• Material number (12NC):

929002977755

Packaging dimensions and weight [LED 40W B35 E14 WW FR ND 1SRT4 UK1

• EAN/UPC - product: 8719514309821

Net weight: 0.024 kg
Gross weight: 0.057 kg
Height: 14.600 cm
Length: 3.600 cm
Width: 6.300 cm

· Material number (12NC):

929002977799



Issue date: 2023-01-06 Version: 0.189 © 2023 Signify Holding. All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N V