SIEMENS

Product data sheet



CIRCUIT BREAKER 230V 6KA,1+N-POLE C, 16A, D=70MM

Similar to image

Technical data:		
Overvoltage class		3
type of voltage		AC/DC
Tripping characteristic class		C
Degree of pollution		3
Mounting depth	mm	70
Energy limiting class	_	3
Number of poles	_	2
Number of pitch units for width		2
Product function / n-switching		Yes
Supply voltage frequency / rated value	Hz	50
Switching capacity current / in accordance with IEC 60947-2 / rated value	kA	15
Breaking capacity current / acc. to EN 60898 / rated value	kA	6
Supply voltage / for AC / rated value	V	230
Current / for AC / rated value	А	16
Protection class IP		IP20, with connected conductors
Product extension / can be installed / supplementary device		Yes
power loss		-

Operational voltage Um		-
rated current In	-	-
Rated make-break capacity Icn	-	-
Rated service short-circuit breaking capacity Ics	-	-
Rated ultimate short-circuit breaking capacity Icu	-	-
Tripping characteristics Number	-	-
Tripping characteristic/-class Conventional tripping current I2, (x In)		-
rated current In IEC, DIN/VDE	-	-
Tripping characteristic/-class Test current I4, hold (x In)	-	-
rated current In / IEC, DIN/VDE	-	
• at 30 Cel	А	16
• at 40 Cel	А	15.04
• at 45 Cel	А	14.448
• at 50 Cel	А	13.84
• at 55 Cel	А	13.248
• at 60 Cel	А	12.64
Resistance against shock / according to IEC 60068-2-27		150m/s ² at 11ms half-sine


Certificates/approvals:


 General Product Approval


 IMQ
 ROSTEST
 Implies
 Implies

Further information:	
Information- and Downloadcenter (Catalogs, Brochures,) http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system) http://www.siemens.com/lowvoltage/mall	
Service&Support (Manuals, Certificates, Characteristics, FAQs,) http://support.automation.siemens.com/WW/view/en/5SY6516-7/all	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams,) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SY6516-7	

CAx-Online-Generator







last change:

Nov 3, 2011