

# Multistream Transport (MST) Hub DisplayPort™1.4 to DisplayPort™1.4 Dual Monitor 4K60Hz M/F



## Product Name:

Multistream Transport (MST) Hub DisplayPort™1.4 to DisplayPort™1.4 Dual Monitor 4K60Hz M/F

**Product Series:** Video Splitter

**Product Code:** CSV-7200

**EAN code:** 8719214471927

**UPC code:** 841615102143

## Description:

The CSV-7200 is a DP™1.4 Alt Mode to DisplayPort™ Dual Monitor 4K60Hz M/F MST hub. This DisplayPort™ MST hub is designed to cater for your most versatile connectivity demands, such as Tablet, laptop, etc. with a DisplayPort™1.4 output which supports DP™1.4 Alt-Mode.

Give your Ultrabook more displays. Ultrabooks and notebooks are increasingly becoming more powerful and smaller in the physical form factor. With a single DisplayPort™ port available you can now drive one- or two-Displayport™ screen simultaneously at 4K60Hz or One display at 4K120Hz. All it needs is a free DisplayPort™ port with DP™1.4 Alt-Mode on your Laptop or Ultrabook to connect to the MST hub and will provide you with unparalleled connection options for Dual 4K60Hz displays. The setup is easy and simple to do, provided your system supports this function.

## Features:

- Support dual display 3840 x 2160 @ 60HZ
- Support for BT.2020 color space, HDR
- Upstream port:
  - DisplayPort™1.4 port with DP™1.4 Alt-Mode support
- Downstream port:
  - Windows(MST model)
    - Support Dual Displayport™ (3840 x 2160@60Hz)
    - Support Single Displayport™ (3840 x 2160@120Hz)
  - or
  - MAC OS(SST model)\*
    - Support Single Displayport™ (3840 x 2160@60Hz)
    - Support Dual Displayport™ (3840 x 2160@30Hz)

\* This resolution specification might be limited by the device itself

**Disclaimer:** \* Specification is subject to change without notice.



## OS Support:

- Windows®10, Mac OS®

## In the box:

- CSV-7200, Multistream Transport (MST) Hub DisplayPort™1.4 auf DisplayPort™1.4 Dual Monitor 4K60Hz M/F
- CAC-1408, USB 3.2 Gen1 Type-A to Micro USB Cable M/M 1m /3.28ft for External Power

## Available Interfaces

### Input:

- DisplayPort™ Male

### Output:

- 2x DisplayPort™ Female

## Other info:

- Box size: 6x24x3.5cm / 2.36 x 9.45 x 1.38"
- Device size: 6 x 4.9 x 1.13 cm / 2.36 x 1.93 x 0.44"
- Total length Device: 20 cm/ 7.87"
- Box Weight: 28 gr / 0.99 oz
- Device Weight: 50 gr / 1.76 oz
- CAC-1408 Cable Weight: 26 gr/ 0.95 oz
- LDPE Bag Weight: 5 gr / 0.17 oz
- Total Weight: 109 gr / 3.87 oz
- Meets ROHS, FCC, and CE EMI requirements

Please use one of our Extension/Adapter cables to connect to your devices: In case you need assistance to choose the correct cable, please visit our website [www.club-3d.com](http://www.club-3d.com) or feel free to mail us at [support@club-3d.com](mailto:support@club-3d.com) and it will be our pleasure to assist you.

