

LogiLink®

10,000 mAh Portable Car Jump Starter

Art. No.: PA0266



Best Portable Battery Booster

The portable jump starter power bank includes an ultra-bright LED flashlight with emergency SOS strobe and 2 fast charging ports to ensure you have the power you need in an emergency. Perfect emergency power for 12 V vehicles when you're on the road.



12 V
Vehicles



Easy
Operation



Safety
Protections



10 W
Fast Charging



LED
Flashlight




Portable
Design



Connect the clamps to the vehicles battery.



Connect the jump starter clamps cable to PA0266.



START



Once the vehicle is started, disconnect the clamps from the vehicle within 30 seconds.

Then turn on the key and start the car.



Powerful & Helpful

Safely jump start a dead battery in seconds with this powerful 10,000 mAh portable car jump starter. Able to jump start multiple times on a single charge for most 12 V vehicles (gasoline engines up to 6 liters and diesel engines up to 3 liters).



Convenient & Quick

The car jump starter designed with one USB-C input and dual USB-A outputs. Effortlessly fast charging two devices at the same time and is compatible with almost all USB devices.

2x USB-A Outputs
(5 V/2 A)

USB-C Input
(5 V/2 A)



**10W max.
Total Output**

Safe & Reliable

Extremely safe with high/low voltage, short-circuit, high temperature and reverse polarity protections.

Handy Emergency Flashlight

Built in LED flashlight with 3 modes: Steady, SOS and Strobe. SOS mode can be used as an emergency light in the dark or to light up an entire room.



Specification:

Capacity	10,000 mAh
Battery Type	60C high rate li-polymer battery
Vehicle Voltage	12 V (gasoline engines up to 6 liters and diesel engines up to 3 liters)
Wattage	37,5 W
Starting Current	300 A
Peak Current	500 A
Input	USB-C: 5 V/2 A (10 W max.)
Outputs	2xUSB-A: 5 V/ 2A (10 W max.)
Charging Time	About 6 hours
Protections	High/low voltage, short-circuit, high temperature and reverse polarity protections
Flashlight Modes	Steady, Strobe, SOS
Operating Temperature	0–60 °C
Storage Temperature	-10–60 °C
Housing Material	Silicon gel, flame retardant ABS+PC, aluminium alloy
Dimension	58x58x21,2 cm
Weight	620 g

Package Contents:

- » 1x Car Jump Starter
- » 1x Jump Starter Clamps Cable
- » 1x USB-C Charging Cable
- » 1x Tool Bag
- » 1x User Manual

Package Information:

- » Packing Dimension: 263x215,5x70,5mm
- » Packing Weight: 1,27 kg
- » Carton Dimension: 440x365x280 mm
- » Carton Q'ty: 10 pcs
- » Carton Weight: 13,5 kg



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



PA0266



4 052792 065398

Made in China