Portable Hard Drives

Canvio Basics

Super speed storage made simple



4 3 2 1 500

Color

Quickly transfer files with SuperSpeed USB 3.0 and store up to 4 TB of data on Canvio Basics external hard drives. These devices are ready to use with Microsoft Windows and require no software installation, so it couldn't be easier to start storing all of your favourite files. Whether at your desk, or on the go, its timeless design with the matt finish means it'll always look good. What's more, the hard drive also allows you to connect to older hardware, with USB 2.0 compatibility.

TOSHIBA

STANDARD *

2.5" 2.5" external hard drive

Matt finish

SuperSpeed USB 3.0

USB-powered







Product Specifications



Basic Specifications		
Interface	USB 3.0 (USB 2.0 compatible)	
Max. transfer rate	~ 5.0 Gbit/s	
File system	NTFS (MS Windows) Requires reformatting for Mac OS	
Power	USB bus power (max. 900mA)	
System requirements	Formatted NTFS for Microsoft® Windows® 10, Windows® 8.1, Windows® 7	

One free port of USB 3.0 or

Requires reformatting for macOS v10.13 / v10.12 / OS X

USB 2.0

v10.11

Warranty	2 years
Physical	
Enclosure	Matt
Dimensions	500 GB, 1 TB, 2 TB: $78 \times 109 \times 14$ mm 3 TB (different product design): $70 \times 118,9 \times 21$ mm 4 TB: $78 \times 109 \times 19,5$ mm
Weight (approx.)	500 GB: 140 g 1 TB, 2 TB: 149 g 3 TB, 4 TB: 217,5 g
Box Content	
Box Content	Canvio Basics USB 3.0 cable (Type A to Micro-B) User's manual (pre-installed

on the hard drive)

Product Range

Part number	Capacity	Color
HDTB440EK3CA	4 TB	Black
HDTB330EK3CB	3 TB	Black
HDTB420EK3AA	2 TB	Black
HDTB410EK3AA	1 TB	Black
HDTB405EK3AA	500 GB	Black

Logistical Information:

Box dimensions
Box weight (gross)
Master carton dimensions
Master carton weight (gross)
Boxes per master carton
Pallet dimensions
Pallet weight (gross)

128 x 40 x 140 mm 249 g 212 x 134 x 153 mm 1.395 kg 5 1150 x 1150 x 130 mm

et weight (gross) 23 kg Units per pallet 1200 pcs.

Contact

Toshiba Electronics Europe GmbH

Hansaallee 181 40549 Düsseldorf Germany