


# PRODUCT DATASHEET

## Vintage 1906 PenduLum Black

Vintage 1906® PenduLum | Indoor pendant luminaires, vintage style, E27 socket



### Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

### Product benefits

- Flexible lighting thanks to countless mounting possibilities
- Made of solid aluminum with high-quality appearance
- Semi-matt surface with great look and feel
- Accessories for flexible mounting options included

### Product features

- Reduced industrial design
- Made of classic materials
- Special vintage appeal when combined with 1906 LED and halogen lamps
- Flexible mounting options: leash principle
- Available in various colors




## TECHNICAL DATA

### Electrical data

|                  |             |
|------------------|-------------|
| Nominal voltage  | 220...240 V |
| Mains frequency  | 50...60 Hz  |
| Protection class | I           |

### Dimensions & Weight

|                |          |
|----------------|----------|
| Diameter       | 68.00 mm |
| Length         | 84.00 mm |
| Height         | 84.00 mm |
| Product weight | 481.00 g |
| Cable length   | 2000 mm  |



### Materials & Colors

|               |          |
|---------------|----------|
| Product color | Black    |
| Housing color | Black    |
| Body material | Aluminum |





### Application & Mounting

|                           |                |
|---------------------------|----------------|
| Ambient temperature range | -20...+40 °C   |
| Type of connection        | Screw terminal |
| Type of protection        | IP20           |
| Dimmable                  | No             |
| Mounting type             | Surface        |
| Mounting location         | Ceiling        |
| Holder designation        | E27            |

## Certificates & Standards

|           |                   |
|-----------|-------------------|
| Standards | CE / REACH / RoHS |
|-----------|-------------------|

## DOWNLOAD DATA

| DOWNLOAD DATA   |  |
|---|--|
|   | User instruction<br>1906 PENDULUM                          |
|  | Tender documents<br>Tender Text 4058075227996              |
|   | Declarations of conformity<br>CE Declaration 1906 Pendulum |
|   | Declarations of conformity<br>CE Declaration 1906 Pendulum |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075227996 | Folding box<br>1             | 140 mm x 140 mm x 213 mm             | 627.00 g     | 4.17 dm <sup>3</sup>  |
| 4058075228009 | Shipping box<br>4            | 291 mm x 291 mm x 228 mm             | 2764.00 g    | 19.31 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

- "Further information at [www.edition-1906.com](http://www.edition-1906.com)"

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.